



Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : P-Toluene Sulfonamide
CAS-No. : 70-55-3
Synonym: P-Toluenesulfonamide; P-Toluene Sulphonamide;
Para Toluene Sulfonamide
Company : Jiaxing Kingvolt Import & Export Co.,Ltd
Address: 2002, A Building, Yaocheng Plaza, No.1520, East Zhongshan RD
Jiaxing City, Zhejiang Province, 314000 China,.
Telephone : +86-573-82118911
Fax : +86-573-8118912
Emergency Phone # : +86-15157335533
E-mail: sales@kingvolt.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : $C_7H_9NO_2S$

CAS-No.	EC-No.	Index-No.	Concentration
P-Toluene Sulfonamide 70-55-3	200-741-1		>99%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

The toxicological properties of this material have not been fully investigated.

Potential Health Effects

Eye:

May cause eye irritation. The toxicological properties of this material have not been fully investigated.

Skin:

May cause skin irritation. The toxicological properties of this material have not been fully investigated.

Ingestion:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea. The toxicological properties of this substance have not been fully investigated.

Inhalation:

May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

Chronic:

No information found.

4. FIRST AID MEASURES

Eyes:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin:

Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion:

If victim is conscious and alert, give 2-4 cupfuls of milk or water.

Never give anything by mouth to an unconscious person. Get medical aid immediately.

Inhalation:

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:

5. FIRE-FIGHTING MEASURES

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas.

Extinguishing Media:

Use agent most appropriate to extinguish fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

6. ACCIDENTAL RELEASE MEASURES

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Avoid generating dusty conditions. Provide ventilation.

7. HANDLING AND STORAGE

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Storage:

Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels.

Exposure Limits CAS# 70-55-3: Personal Protective Equipment Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin:

Wear appropriate protective gloves to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Respirators:

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Crystalline powder
Color:	white
Odor:	None reported.
pH:	Not available.
Vapor Pressure:	Not available.
Viscosity:	Not available.
Boiling Point:	221°C @ 10.00mmHg
Freezing/Melting Point:	137.00 - 140.00°C
Autoignition Temperature:	Not available.
Flash Point:	202°C (395.60°F)
Explosion Limits, lower:	N/A
Explosion Limits, upper:	N/A
Decomposition Temperature:	
Solubility in water:	0.32 g/100ml (25°C)
Specific Gravity/Density:	
Molecular Formula:	C ₇ H ₉ NO ₂ S
Molecular Weight:	171.21

10. STABILITY AND REACTIVITY**Chemical Stability:**

Stable under normal temperatures and pressures.

Conditions to Avoid:

Dust generation, excess heat.

Incompatibilities with Other Materials:

Strong oxidizing agents, strong bases.

Hazardous Decomposition Products:

Nitrogen oxides, carbon monoxide, oxides of sulfur, irritating and toxic fumes and gases, carbon dioxide, nitrogen.

Hazardous Polymerization:

Has not been reported.

11. TOXICOLOGICAL INFORMATION**RTECS#:**

CAS# 70-55-3: XT5075000 LD50/LC50:

Not available.

Carcinogenicity:

P-Toluenesulfonamide - Not listed by ACGIH, IARC, or NTP.

Other:

See actual entry in RTECS for complete information.

12. ECOLOGICAL INFORMATION

None known.

13. DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.

14. TRANSPORT INFORMATION

IATA

Not regulated as a hazardous material.

IMO

Not regulated as a hazardous material.

RID/ADR

Not regulated as a hazardous material.

15. REGULATORY INFORMATION

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: Not available.

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

WGK (Water Danger/Protection)

CAS# 70-55-3: 1

Canada

CAS# 70-55-3 is listed on Canada's DSL List.

CAS# 70-55-3 is not listed on Canada's Ingredient Disclosure List.

US FEDERAL

TSCA

CAS# 70-55-3 is listed on the TSCA inventory.

16. OTHER INFORMATION

Further information

Copyright 2013 Jiaying Kingvolt Import & Export Co.Ltd License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Jiaying Kingvolt Import & Export Co.Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.